


# PACKAGING PRODUCTS CATALOGUE

|                                     |                |
|-------------------------------------|----------------|
| <b>FLEXIBLE BONEGUARD PACKAGING</b> | <b>PAGE 2</b>  |
| <b>RIGID PACKAGING</b>              | <b>PAGE 5</b>  |
| <b>MATERIAL SPECIFICATIONS</b>      | <b>PAGE 10</b> |
| <b>FLEXOPACK PRODUCT PORTFOLIO</b>  | <b>PAGE 12</b> |







# FLEXIBLE BONEGUARD PACKAGING

## LD5045C SHORT SHANK CAP


length 45mm  
base dia 50-60mm  
cap end dia 20-25mm  
material LDPE   
PP45S SC23100

## LD5055C LONG SHANK CAP


length 55mm  
base dia 50-60mm  
cap end dia 20-25mm  
material LDPE   
PP55L SC17527



## LD5055HDC SHANK CAP 440

length 55mm  
base dia 50-60mm  
cap end dia 20-25mm  
material LDPE   
S006326


## LD240100C AITCH BONE CAP

length 240mm  
width 100mm  
depth 15mm  
material LDPE   
PP240100




# FLEXIBLE BONEGUARD PACKAGING

## LD280220C SHOULDER TRAY


length 285mm  
width 240mm  
depth 60-80mm  
material LDPE   
PP280/220 SC20651

## LD370170C REFORMED LOIN TRAY


length 390mm  
width 200mm  
depth 35-55mm  
material LDPE   
PP370/170 SC23098



## LD340160C REFORMED SADDLE TRAY


length 380mm  
width 200mm  
depth 30-40mm  
material LDPE   
PP340/160 SC23097

## LD190160C SHORT LOIN TRAY

length 200mm  
width 170mm  
depth 35-65mm  
material LDPE   
PP190/160 SC25580

# FLEXIBLE BONEGUARD PACKAGING

## LD170180C CUTLET TRAY

length 170mm  
width 180mm  
depth 40-60mm  
material LDPE 

PP170/180 SC23099





## RIGID PACKAGING

### PET21010540C RIGID TRAY


length 230mm  
width 125mm  
height 38mm  
material APET 

PP59L SC26147


### PET21010520C RIGID TRAY

length 230mm  
width 125mm  
height 19mm  
material APET 

PP500




### PET19010527C RIGID TRAY

length 215mm  
width 125mm  
height 28mm  
material APET 

PP58 S007258

### PET17714034C RIGID TRAY


length 200mm  
width 155mm  
height 33mm  
material APET 

PP67L SC22970







## RIGID PACKAGING

### PET17310416C RIGID TRAY


length 190mm  
width 125mm  
height 15mm  
material APET   
PP57 SC22969

### PET15311313C RIGID TRAY


length 166mm  
width 127mm  
height 15mm  
material APET   
PP56



### PET15515516C RIGID TRAY

length 165mm  
width 165mm  
height 19mm  
material APET   
S007272


### PET2479614C RIGID TRAY

length 260mm  
width 105mm  
height 15mm  
material APET   
S007265




# RIGID PACKAGING

## PET22016820C RIGID TRAY



length 220mm  
width 168mm  
height 20mm  
material APET   
MAP or VSP

9x7x20mm


## PET22016830C RIGID TRAY

length 220mm  
width 168mm  
height 30mm  
material APET   
MAP or VSP

9x7x30mm




## PET22016830AB RIGID TRAY

length 220mm  
width 168mm  
height 30mm  
material APET   
MAP

9x7x30mm AB

## PET22016840C RIGID TRAY


length 220mm  
width 168mm  
height 40mm  
material APET   
MAP

9x7x40mm

\* All trays can be formed from mono PET or with a PET/PE sealing layer.


# RIGID PACKAGING

## PET22016850C RIGID TRAY


length 220mm  
width 168mm  
height 50mm  
material APET   
MAP

9x7x40mm


## PET22016840CBT RIGID TRAY

length 220mm  
width 168mm  
height 40mm  
material APET   
MAP

9x7x40mm Burger




## PET22016840CMB RIGID TRAY

length 220mm  
width 168mm  
height 40mm  
material APET   
MAP

9x7x40mm Meatball x 12

## PET22016840MB20 RIGID TRAY

length 220mm  
width 168mm  
height 40mm  
material APET   
MAP


9x7x40mm Meatball x 20

\* All trays can be formed from mono PET or with a PET/PE sealing layer.




# RIGID PACKAGING

## PLA20913945CMAPLL RIGID TRAY


length 209mm  
width 139mm  
height 45mm  
material APET   
MAP

8x5x45mm liquid lock


## PET21215038AB RIGID TRAY

length 212mm  
width 150mm  
height 38mm  
material APET   
MAP

8x6x38mm Sausage




## PET26916820C RIGID TRAY

length 269mm  
width 168mm  
height 20mm  
material APET   
MAP or VSP

11x7x20mm

## PET26916830C RIGID TRAY


length 269mm  
width 168mm  
height 30mm  
material APET   
MAP or VSP

11x7x30mm

\* All trays can be formed from mono PET or with a PET/PE sealing layer.

# RIGID PACKAGING


## PET26916840C RIGID TRAY

length 269mm  
width 168mm  
height 40mm  
material APET   
MAP or VSP

11x7x40mm




## PET26923120C RIGID TRAY

length 269mm  
width 231mm  
height 20mm  
material APET   
MAP or VSP

11x9x20mm



## PET26923160C RIGID TRAY

length 269mm  
width 231mm  
height 60mm  
material APET   
MAP or VSP

11x9x60mm

\* All trays can be formed from mono PET or with a PET/PE sealing layer.



# MATERIAL SPECIFICATIONS



## **LDPE LOW DENSITY POLYETHYLENE**

### **FEATURES**

Natural colour

Fully recyclable material

Shapes neatly with the meat avoiding bridging or pockets for purge accumulation occurring on vacuuming

Good burst strength and puncture resistance.

### **TYPICAL USES AND CARE**

For use inside vacuum and shrink bags as a bone protection system. Suitable for chilled and frozen meats

Temperature limits – minus 30°C to plus 100°C

Storage in clean, dry, cool areas out of direct sunlight

Shipped in sealed cartons with plastic bag liners, wrapped on pallets.



## **APET AMORPHOUS POLYETHYLENE TEREPHALATE**

### **FEATURES**

Clear, high gloss with no stress whitening. Available in black and other colours on request.

Fully recyclable material and manufactured using recycled APET

Low moisture vapour transmission rate and good barrier properties

High impact durability and rigidity together with exceptional hinge and fold strength

Chemical, oil and grease resistant.

### **TYPICAL USES AND CARE**

For use as a base tray inside vacuum and shrink bags or with an overwrap

Modified Atmosphere Packaging (MAP) and Vacuum Skin Pack (VSP) applications in a tray sealer. Can include a PE sealing layer as required.

Suitable for chilled and frozen meats, smallgoods, seafood, poultry and produce

Temperature limits – minus 35°C to plus 95°C

Storage in clean, cool dry areas

Shipped in sealed cartons with plastic bag liners, wrapped on pallets.

### **RECYCLED CONTENT**

Trays are available in either virgin APET or various levels of post consumer recycled (PCR) rPET. Details available on request.

### **COLOURS**

Rigid trays are generally available in clear and black. Other specific colours are available on request.

All products are manufactured to meet EU and US FDA packaging compliance regulations. Details are available on request.

# FLEXOPACK PRODUCT PORTFOLIO

## **FLEXOFRESH™**

### **Thermoforming films**

- Crystal clear optics
- Advanced forming performance
- Enhanced puncture properties
- Ability to down-gauge
- Excellent sealability
- High and medium barrier solutions



## **MONOFRESH™**

### **Ready-to-recycle forming / non-forming films**

- Certified solution in Europe (Cyclos, OPRL)
- Excellent mechanical, barrier and optical properties
- Peelable versions available
- Thickness range: 80-250 micron



## **FLEXION™**

### **Skin films**

- Wide range of skin films for high- and low-profile products
- Wide range of thickness
- High gloss and superior optics showcasing the best of your product
- Wide Seal Window allows optimal sealing to a large range of substrates including direct to APET (PE, PP, PET, PS)



# FLEXOPACK PACKAGING

## **FLEXOSHRINK™**

### **Shrink Bags, Shrink Flowpack and Shrink Thermoforming Films**

- Best-in-Market Shrinkage
- Suitable for boneless & bone-in products
- Excellent optics / appearance
- Export-grade barrier properties/maximum product protection



## **FLEXOLID™ / MONOLID™**

### **Lidding Films**

- Ready-to-recycle option
- High barrier properties ensuring maximum product shelf life
- High gloss and optics properties showing the best of your products
- Antifog and peel properties
- Wide Seal Window allows optimal sealing to a large range of substrates (PE, PP, PET)



